CS11-747 Neural Networks for NLP

Machine Reading w/ Neural Networks

Graham Neubig



Site https://phontron.com/class/nn4nlp2020/

What is Machine Reading?

- Read a passage, try to answer questions about that passage
- Contrast to knowledge-base QA, need to synthesize the information in the passage as well
 - The passage is the KB!

Machine Reading Tasks

Machine Reading Question Answering Formats

- Multiple choice question
- Span selection
- Cloze (fill-in-the-blank) style
- (Information extraction)

Multiple-choice Question Tasks

- MCTest (Richardson et al. 2013): 500 passages 2000 questions about simple stories
- RACE (Lai et al. 2017): 28,000 passages 100,000 questions from English comprehension tests

James the Turtle was always getting in trouble. Sometimes he'd reach into the freezer and empty out all the food. Other times he'd sled on the deck and get a splinter. His aunt Jane tried as hard as she could to keep him out of trouble, but he was sneaky and got into lots of trouble behind her back.

One day, James thought he would go into town and see what kind of trouble he could get into. He went to the grocery store and pulled all the pudding off the shelves and ate two jars. Then he walked to the fast food restaurant and ordered 15 bags of fries. He didn't pay, and instead headed home.

His aunt was waiting for him in his room. She told James that she loved him, but he would have to start acting like a well-behaved turtle.

After about a month, and after getting into lots of trouble, James finally made up his mind to be a better turtle.

- 1) What is the name of the trouble making turtle?
- A) Fries
- B) Pudding
- C) James
- D) Jane
- 2) What did James pull off of the shelves in the grocery store?
- A) pudding
- B) fries
- C) food
- D) splinters
- 3) Where did James go after he went to the grocery store?
- A) his deck
- B) his freezer
- C) a fast food restaurant
- D) his room
- 4) What did James do after he ordered the fries?
- A) went to the grocery store
- B) went home without paying
- C) ate them
- D) made up his mind to be a better turtle

Span Selection

- SQuAD (Rajpurkar et al. 2016): 500 passages 100,000 questions on Wikipedia text
- TriviaQA (Joshi et al. 2017): 95k questions, 650k evidence documents (distant supervision)

In meteorology, precipitation is any product of the condensation of atmospheric water vapor that falls under gravity. The main forms of precipitation include drizzle, rain, sleet, snow, graupel and hail... Precipitation forms as smaller droplets coalesce via collision with other rain drops or ice crystals within a cloud. Short, intense periods of rain in scattered locations are called "showers".

What causes precipitation to fall? gravity

What is another main form of precipitation besides drizzle, rain, snow, sleet and hail? graupel

Where do water droplets collide with ice crystals to form precipitation?

within a cloud

Cloze Questions

 CNN/Daily Mail dataset: Created from summaries of articles, have to guess the entity

Original Version	Anonymised Version
Context	
The BBC producer allegedly struck by Jeremy	the ent381 producer allegedly struck by ent212 will
Clarkson will not press charges against the "Top	not press charges against the "ent153" host, his
Gear" host, his lawyer said Friday. Clarkson, who hosted one of the most-watched television shows in the world, was dropped by the BBC Wednesday after an internal investigation by the British broadcaster found he had subjected producer Oisin Tymon "to an unprovoked physical and verbal attack."	lawyer said friday . ent212, who hosted one of the most - watched television shows in the world, was dropped by the ent381 wednesday after an internal investigation by the ent180 broadcaster found he had subjected producer ent193 " to an unprovoked physical and verbal attack . "
Ouery	
Producer X will not press charges against Jeremy	producer X will not press charges against ent212,
Clarkson, his lawyer says.	his lawyer says .
Answer	
Oisin Tymon	ent193

Entities anonymized to prevent co-occurance clues

What is Necessary for Machine Reading?

- We must take a large amount of information and extract only the salient parts
 - → Attention
- We must perform some sort of reasoning about the information that we've extracted
 - → Multi-step Reasoning

A Caveat about Data Sets

All Datasets Have Their Biases

- No matter the task, data bias matters
 - Domain bias
 - Simplifications
- In particular, for reading comprehension, real, largescale (copyright-free) datasets are hard to come by
- Datasets created from weak supervision have not been vetted

A Case Study: bAbl

(Weston et al. 2014)

 Automatically generate synthetic text aimed at evaluating whether a model can learn certain characteristics of language

Task 1: Single Supporting Fact

Mary went to the bathroom.

John moved to the hallway.

Mary travelled to the office.

Where is Mary? A:office

Task 2: Two Supporting Facts

John is in the playground.

John picked up the football.

Bob went to the kitchen.

Where is the football? A:playground

Task 3: Three Supporting Facts

John picked up the apple.

John went to the office.

John went to the kitchen.

John dropped the apple.

Where was the apple before the kitchen? A:office

Task 4: Two Argument Relations

The office is north of the bedroom.

The bedroom is north of the bathroom.

The kitchen is west of the garden.

What is north of the bedroom? A: office

What is the bedroom north of? A: bathroom

 Problem: papers evaluate only on this extremely simplified dataset, then claim about ability to learn language

An Examination of CNN/ Daily Mail (Chen et al. 2015)


- Even synthetically created real datasets have problems!
- An analysis of CNN/Daily Mail revealed very few sentences required multi-sentence reasoning, and many were too difficult due to anonymization or wrong preprocessing

No. Category (%)

1 Exact match 13
2 Paraphrasing 41
3 Partial clue 19
4 Multiple sentences 2
5 Coreference errors 8
6 Ambiguous / hard 17

Adversarial Examples in Machine Reading (Jia and Liang 2017)

- Add a sentence or word string specifically designed to distract the model
- Drops accuracy of state-of-the-art models from 81 to 46



Adversarial Creation of New Datasets? (Zellers et al. 2018)

- Idea: create datasets that current models do poorly on, but humans do well
- Process:
 - Generate potential answers from LM
 - Find ones that QA model does poorly on
 - Have humans filter for naturalness
- Problem: Adversarial examples can be artificially hard/noisy, not representative

Natural Questions

(Kwiatkowski et al. 2019)

- Opposite approach:
 - create questions naturally from search logs
 - use crowdworkers to find corresponding evidence

Example 1

Question: what color was john wilkes booth's hair

Wikipedia Page: John_Wilkes_Booth

Long answer: Some critics called Booth "the handsomest man in America" and a "natural genius", and noted his having an "astonishing memory"; others were mixed in their estimation of his acting. He stood 5 feet 8 inches (1.73 m) tall, had jet-black hair, and was lean and athletic. Noted Civil War reporter George Alfred Townsend described him as a "muscular, perfect man" with "curling hair, like a Corinthian capital".

Short answer: jet-black

Example 2

Question: can you make and receive calls in airplane mode

Wikipedia Page: Airplane_mode

Long answer: Airplane mode, aeroplane mode, flight mode, offline mode, or standalone mode is a setting available on many smartphones, portable computers, and other electronic devices that, when activated, suspends radio-frequency signal transmission by the device, thereby disabling Bluetooth, telephony, and Wi-Fi. GPS may or may not be disabled, because it does not involve transmitting radio waves.

Short answer: BOOLEAN:NO

Example 3

Question: why does queen elizabeth sign her name elizabeth r

Wikipedia Page: Royal_sign-manual


Long answer: The royal sign-manual usually consists of the sovereign's regnal name (without number, if otherwise used), followed by the letter R for Rex (King) or Regina (Queen). Thus, the signs-manual of both Elizabeth I and Elizabeth II read Elizabeth R. When the British monarch was also Emperor or Empress of India, the sign manual ended with R I, for Rex Imperator or Regina Imperatrix (King-Emperor/Queen-Empress).

Short answer: NULL

Attention Models for Machine Reading

A Basic Model for Document Attention

 Encode the document and the question, and generate an answer (e.g. a sentence or single word)




 Problem: encoding whole documents with high accuracy and coverage is hard!

A First Try: Attentive Reader

(Hermann et al. 2015)

 Read the query (u) first, then attend to the values in the context vector




 Allows the model to focus on relevant information, but query is not considered during encoding

Impatient Reader

(Hermann et al. 2015)


 Re-read the document every time you get a new query token and update understanding



Attention Sum Reader

(Kadlec et al. 2016)


- Instead of attending to get representation, attend to each entity in the source document
- The score of the entity is the sum of the attention scores over all mentions of the entity



Attention-over-attention

(Cui et al. 2017)

 Idea: we want to know the document words that match best with the most important words in the query




• This method + BERT + data augmentation currently tops the SQuAD leaderboard

Bidirectional Attention Flow

(Seo et al. 2017)

- Calculate doc2ctxt, ctxt2doc attention
- Both representations concatenated to word representations themselves in the document



Choosing Answer Spans

Word Classification vs. Span Classification

In span-based models, we need to choose a multi-word span


In meteorology, precipitation is any product of the condensation of atmospheric water vapor that falls under gravity. The main forms of precipitation include drizzle, rain, sleet, snow, graupel and hail... Precipitation forms as smaller droplets coalesce via collision with other rain drops or ice crystals within a cloud. Short, intense periods of rain in scattered locations are called "showers".

- In contrast:
 - Previous single-word machine reading models choose a single word or entity
 - Other models such as NER choose multiple spans

Dynamic Span Decoder

(Xiong et al. 2017)

Iteratively refine the left and right boundaries



Multi-step Reasoning

Multi-step Reasoning

 It might become clear that more information is necessary post-facto

> John went to the hallway John put down the football

Q: Where is the football?

Step 1: Attend to football Step 2: Attend to John

Example: Kumar et al. 2016

Multi-step Reasoning Datasets

- Datasets explicitly created to require multiple steps through text
- Often labeled with "supporting facts" to demonstrate that multiple steps are necessary
- e.g. HotpotQA (Yang et al. 2018)
- As always, be aware of dataset bias... (Chen and Durrett 2019)

Paragraph A, Return to Olympus:

[1] Return to Olympus is the only album by the alternative rock band Malfunkshun. [2] It was released after the band had broken up and after lead singer Andrew Wood (later of Mother Love Bone) had died of a drug overdose in 1990. [3] Stone Gossard, of Pearl Jam, had compiled the songs and released the album on his label, Loosegroove Records.

Paragraph B, Mother Love Bone:

[4] Mother Love Bone was an American rock band that formed in Seattle, Washington in 1987. [5] The band was active from 1987 to 1990. [6] Frontman Andrew Wood's personality and compositions helped to catapult the group to the top of the burgeoning late 1980s/early 1990s Seattle music scene. [7] Wood died only days before the scheduled release of the band's debut album, "Apple", thus ending the group's hopes of success. [8] The album was finally released a few months later.

Q: What was the former band of the member of Mother Love Bone who died just before the release of "Apple"?

A: Malfunkshun

Supporting facts: 1, 2, 4, 6, 7

Memory Networks

(Weston et al. 2014)

- A general formulation of models that access external memory through attention and specific instantiation for document-level QA
- In specific QA model, first do arg-max attention:

$$o_1 = O_1(x, \mathbf{m}) = \underset{i=1,...,N}{\operatorname{arg max}} \ s_O(x, \mathbf{m}_i)$$

 But with additional argmax step to get a second element from memory, conditioned on first


$$o_2 = O_2(x, \mathbf{m}) = \underset{i=1,...,N}{\operatorname{arg max}} \ s_O([x, \mathbf{m}_{o_1}], \mathbf{m}_i)$$

Use both to get the answer

$$r = \operatorname{argmax}_{w \in W} s_R([x, \mathbf{m}_{o_1}, \mathbf{m}_{o_2}], w)$$

Softened, and Multi-layer Memory Networks (Sukhbaatar et al. 2015)

Use standard softmax attention, and multiple layers




When to Stop Reasoning?

- A fixed number of sequences (e.g. Weston et al. 2014)
- When we attend to a "stop reasoning" symbol (e.g. Kumar et al. 2016)
- Have an explicit "stop reasoning" predictor (e.g. Shen et al. 2017)

Coarse-to-fine Question Answering (Choi et al. 2017)


• First, decide which sentence to cover, then reason




- This is also a variety of multi-hop reasoning
- Applies to retrieval + QA as well (Chen et al. 2017)

Retrieval + Language Model


- A language model can be used to solve Cloze-style questions (e.g. Petroni et al. 2019)
- These two paradigms can be combined!
 Retrieve + masked language model (e.g. Guu et al. 2020)





Explicit Question Decomposition for Multi-step Reasoning

- In many multi-hop questions, it's possible to split into multiple questions
- This can be done manually (Wolfson et al. 2020)
- By rules+reranking, or learning (Min et al. 2019)



Question Answering with Context (Choi et al. 2018, Reddy et al. 2018)

 Answer questions in sequence, so context from previous questions must be used in next answer

```
Section: *Daffy Duck, Origin & History
STUDENT: What is the origin of Daffy Duck?
STUDENT: What was he like in that episode?
TEACHER: 

→ assertive, unrestrained, combative
STUDENT: Was he the star?
TEACHER: \rightarrow No, barely more than an unnamed
     bit player in this short
STUDENT: Who was the star?
STUDENT: Did he change a lot from that first
     episode in future episodes?
TEACHER: \hookrightarrow Yes, the only aspects of the char-
     acter that have remained consistent (...) are his
     voice characterization by Mel Blanc
STUDENT: How has he changed?
TEACHER: 

→ Daffy was less anthropomorphic
STUDENT: In what other ways did he change?
TEACHER: 
→ Daffy's slobbery, exaggerated lisp
     (...) is barely noticeable in the early cartoons.
STUDENT: Why did they add the lisp?
TEACHER: 
→ One often-repeated "official" story
     is that it was modeled after producer Leon
     Schlesinger's tendency to lisp.
STUDENT: Is there an "unofficial" story?
TEACHER: 

→ Yes, Mel Blanc (...) contradicts
     that conventional belief
```

Symbolic Reasoning + Neural Nets

An Aside: Traditional Computational Semantics


 Reasoning is something that traditional semantic representations are really good at!

```
\forall \text{xdie}(\text{x}) \rightarrow \text{die}(\text{mia}) \land \text{die}(\text{zed})
1 \qquad F(\forall \text{xdie}(\text{x}) \rightarrow \text{die}(\text{mia}) \land \text{die}(\text{zed}))
2 \qquad T \forall \text{xdie}(\text{x}) \qquad 1, F_{\rightarrow}
3 \qquad F(\text{die}(\text{mia}) \land \text{die}(\text{zed})) \qquad 1, F_{\rightarrow}
4 \qquad T \text{die}(\text{mia}) \qquad 2, T_{\forall}
5 \qquad T \text{die}(\text{zed}) \qquad 2, T_{\forall}
6 \qquad F \text{die}(\text{mia}) \qquad 3, F_{\land}
```

- See "Representation and Inference for Natural Language" (Blackburn & Bos 1999)
- Most neural networks are just a very rough approximation...

Numerical Calculation

- Neural networks are poor at numerical computation
- Word embeddings encode numbers, but not consistently (Naik et al. 2019, Wallace et al. 2019)




Machine Reading with Symbolic Operations

- Can we explicitly incorporate numerical reasoning in machine reading?
- e.g. DROP dataset (Dua et al. 2019)

Reasoning	Passage (some parts shortened)	Question	Answer	BiDAF
Subtraction (28.8%)	That year, his Untitled (1981), a painting of a haloed, black-headed man with a bright red skeletal body, depicted amid the artists signature scrawls, was sold by Robert Lehrman for \$16.3 million, well above its \$12 million high estimate.	How many more dol- lars was the Untitled (1981) painting sold for than the 12 million dollar estimation?	4300000	\$16.3 million
Comparison (18.2%)	In 1517, the seventeen-year-old King sailed to Castile. There, his Flemish court In May 1518, Charles traveled to Barcelona in Aragon.	Where did Charles travel to first, Castile or Barcelona?	Castile	Aragon


Solving Word Problems w/ Symbolic Reasoning

- Idea: combine semantic parsing (with explicit functions) and machine reading
- e.g. Gupta et al. (2020)



Differentiable Theorem Proving (Rocktäschel and Riedel 2017)

 Combination of theorem provers for first order logic and distributed representations



Questions?